



Accessories

Hard to imagine day-to-day business without them



Accessories from KELMAPLAST: Useful, practical, easy to use

The advantages are often in the detail. Useful and practical original accessories from **KELMAPLAST** make the handling and use of our products even easier. Additional complementary products round off the product range perfectly. Just like our core products, all of our accessories are subject to strict benchmarking; and it's not just a question of applying technical standards to a product, but most of all a question of its intended purpose.

The direct lines to KELMAPLAST

Switchboard: +49 (0) 23 24 90 70-0 **E-Mail:** info@kelmaplast.de

Sales: +49 (0) 23 24 90 70-15 **E-Mail:** go@kelmaplast.de

Shipping: +49 (0) 23 24 90 70-14 **E-Mail:** ho@kelmaplast.de

Internet: www.kelmaplast.de **Mail:** info@kelmaplast.de **Fax:** +49 (0) 23 24 90 70-90

We can be reached Monday to Friday from 7.45 am to 16.30 pm.
Prompt quotation and delivery service.

KELMAPLAST

G. Kellermann GmbH Kunststoff-, Folien- und Spritzgusswerk

Alt Bossel 11–17
D-45549 Sprockhövel

ADHESIVE TAPES

KELMAPLAST Insulating Tape, No 20 – in accordance with VDE, SEV, ÖVE

Technical features

Material: soft, ageing-resistant and flame-retardant PVC

Thickness: 0.15 mm with transparent adhesive

Colours: black, white, red, blue, green, yellow, grey, brown, purple and green-and-yellow (other colours and dimensions on request).



ARTICLE NO	WIDTH	LENGTH
2001500190010	19 mm	10 m
2001500190025	19 mm	25 m
2001500300025	30 mm	25 m
2001500500025	50 mm	25 m


KELMAPLAST Marking Tape No 21 – in accordance with DIN 40705

Marking tape no 21 is self-adhesive.

Technical features

Colour: white

Print: black



ARTICLE NO	WIDTH	LENGTH
2101 L1	19 mm	10 m
2102 L2	19 mm	10 m
2103 L3	19 mm	10 m
2104 N	19 mm	10 m
2105 PE	19 mm	10 m
2106 PEN	19 mm	10 m

KELMAPLAST Duct Tape No 22

Standard, self-adhesive duct tape; suitable for pipes and ventilation shafts etc and also for attaching plastic sheeting to metal, plastics, plaster and concrete; suitable for a wide range of applications.



Technical features

Material: PE sheet with woven cloth inlay, rubber-based adhesive, PVC-free

Colour: silver-grey

Properties: easy to tear off by hand, great adhesive strength, repels splash water

ARTICLE NO	WIDTH	LENGTH	THICKNESS
2200	50 mm	50 m	0,18 mm

KELMAPLAST Marking and Warning Tape No 30

Self-adhesive warning tape.



Technical features

Colour: black/yellow or red/white diagonal stripes

ARTICLE NO	WIDTH	THICKNESS
3011 black/yellow	60 mm	66 m
3012 red/white	60 mm	66 m

KELMAPLAST Lamp Tape No 32

Self-adhesive marking tape for street lamps that are not permanently switched on at night.



Technical features

Colour: red/white

ARTICLE NO	WIDTH	THICKNESS
3200	75 mm	33 m

DISPENSER BOXES AND BARRIER TAPE PINS

KELMAPLAST Barrier Tape Pin No 15



With a clip designed to ensure that the barrier tape is held taut and in a permanently vertical position.

Technical features

Material: steel

Colour: red, dip-coated

ARTICLE NO

1500

HEIGHT

125 mm

UNIT

Piece

KELMAPLAST Dispenser Box No 16



With a cutting device and a handle for the reliable, controlled unreeling of **KELMAPLAST** no 11 barrier tape; reusable.

Technical features

Material: plastic

Colour: red, green, white

Barrier tape not included

ARTICLE NO

1600

DIMENSIONS

300x220x105 mm

UNIT

Piece

KELMAPLAST Dispenser Box, Transparent No 17



With or without cutting device, for reliable, controlled unreeling of **KELMAPLAST** no 11 barrier tape; reusable.

Technical features

Colour: transparent

Barrier tape not included

ARTICLE NO

1701 (with cutting device)

DIMENSIONS

240x200x100 mm

UNIT

Piece

1702 (without cutting device)

240x200x100 mm

Piece

CHAINS AND FENCES

KELMAPLAST Plastic Chain No 14

For barriers, enclosures and cordons.

Technical features

Material: polyethylene, UV-resistant

Test load: 30 kg

Colour: red/white und black/yellow



ARTICLE NO	COLOUR	LENGTH	LINK-Ø
1462515	red/white	25 m	6 mm
1462517	black/yellow	25 m	6 mm
146000	Links for barrier chains in a choice of colours: red and white, yellow and black	25 m	6 mm

KELMAPLAST Warning Fence No 1416

Technical features

Material: polypropylene

Colour: orange



ARTICLE NO	HEIGHT
141600100	1,00 x 50 m

AUXILIARY TOOLS



KELMAPLAST Connecting Technology



For the secure connection of KELMAPLAST Detectable Tapes Nos 04 and 06.


Technische Eigenschaften

Material: high-grade tool steel for the crimper, stainless steel for the crimp connectors



ARTICLE NO	DESCRIPTION	UNIT
410	Crimper for Detectable Tape No 04	
411	Crimp connectors for Detectable Tape No 04	Bag of 200
611	Crimp connectors for Detectable Tapes No 06 and No 06 Cu	Bag of 200
620	Crimper for Detectable Tape No 06 Cu + No 06 stainless steel	
622	Heat-shrink tubing for Detectable Tape No 06 Cu	Bag of 50

KELMAPLAST Tightening Tool No 48



For the effortless tightening of **KELMAPLAST** Cable Marking Bands No 40.

ARTICLE NO	DESCRIPTION
4800	Tightening tool for Cable Marking Bands

TOOL-CASE SET

KELMAPLAST Manual Stamping Machine No 41 in a practical tool case



Practical set for embossing cable marking bands and additional flags.


This handy tool case comes complete not only with the original **KELMAPLAST** manual stamping machine, but also with a box to keep the individual stamps in order.



Manual Stamping Machine No 41 – thermal

Power supply, 220 V, for the hot stamping of smaller batches.

The case also comes with a matching type set. All types may also be ordered individually.



A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z			
3	3	3	3	4	4	3	4	3	3	4	4	3	4	3	3	3	3	4	3	3	3	3	4	5	2			
1	2	3	4	5	6	7	8	9	0	Space					.	,	()	+	/	x	'	"	φ	ø			
3	3	3	3	3	3	3	3	3	3	5					2	2	1	1	2	2	2	2	2	2	1	1		